

# OSCAR II



**Zuccarini**  
ESPRESSO MACHINES  
AND COFFEE BAR SYSTEMS  
[WWW.ZUCCARINILTD.COM](http://WWW.ZUCCARINILTD.COM)  
(416) 537-3439



nuova  
**SIMONELLI**<sup>®</sup>  
espresso coffee machines



# OSCAR II PROFESSIONAL PERFORMANCE IN A SMALL VOLUME

The restyling of a classic. Oscar II is a new generation of the coffee machine launched in the late nineties, which has conquered coffee lovers around the world.





# PERFECT EXTRACTIONS



The brewing unit is temperature compensated giving consistent and quality extractions. The temperature stability of Oscar II is ensured the heat exchanger system inside the boiler, which also ensures a high steam capacity for creamy and fragrant cappuccinos. Timer programming ensures consistent results.





## PROFESSIONAL

Oscar II is a high performance machine due to professional components like the filter holder, the temperature compensated group and the high productivity steam wand. Added to this are technical and ergonomic features to simplify its use, as with the push and pull steam lever and the soft-touch backlit control panel.







## NEW MATERIALS AND NEW DESIGN

Among the new features of Oscar II is to the extensive use of stainless steel that immediately shows strength and solidity, as well as enhancing the machine. Minimal design ensures the machine fits in different types of environment.







## SUITABLE FOR SMALL SPACES

Just 32 cm wide and thanks to the stainless steel body, Oscar II is suitable for all small spaces, in a kitchen, a coffee corner, an office or a Bed & Breakfast to guarantee guests taste very high quality coffee. Oscar II, is available with a direct attachment to the water supply or with a tank which makes it a convenient plug-and-play machine.





Nuova Simonelli reserves the right to modify the appliances presented in this publication without notice.



MODEL	WATER TANK (TANICA)	WATER LINE (AD) ◦
<b>Body</b>		
<b>Material</b>		
Stainless steel+ABS	•	•
<b>Colours</b>		
	● ● ●	● ● ●
<b>Steam wand swivels 360°</b>	•	•
<b>High steam power</b>	•	•
<b>Water tank capacity</b>	3 lt	-
<b>Direct water Connection</b>	-	◦
<b>Discharge tank Capacity</b>	1 lt	1 lt
<b>Cupholder</b>	•	•
<b>Thermo-compensated group</b>	•	•
<b>Professional portafilter</b>	•	•
<b>Boiler</b>		
<b>Professional copper boiler</b>	•	•
<b>Energy saving boiler</b>	•	•
<b>Boiler capacity</b>	2 lt	2 lt
<b>Safety Valve</b>	•	•
<b>No-Vacuum Valve</b>	•	•
<b>Automatic Water filling</b>	•	•
<b>Control pad</b>		
<b>Water shortage indicator</b>	•	•
<b>Heating-on indicator</b>	•	•
<b>Timed dosing</b>	•	•
<b>Soft touch bottoms</b>	•	•
<b>Dimensions</b>		
<b>Net Weight (Kg)</b>	13 Kg	13 Kg
<b>Dimension WxHxD mm (inches)</b>	300 x 400 x 408 (11 13/16 x 15 3/4 x 16 1/16)	300 x 400 x 408 (11 13/16 x 15 3/4 x 16 1/16)
<b>Power (Watt)</b>	1200	1200
<b>Voltage</b>	110V	110V

◦ SPECIAL ORDER Available upon request

[www.nuovasimonelli.it](http://www.nuovasimonelli.it)



**Nuova Simonelli S.p.A.**  
Via M. D'Antegiano, 6  
62020 Belforte del Chienti  
Macerata Italy  
tel. +39.0733.9501  
fax +39.0733.950242  
videoconf. +39.0733.950201  
[www.nuovasimonelli.it](http://www.nuovasimonelli.it)  
[n.simonelli@nuovasimonelli.it](mailto:n.simonelli@nuovasimonelli.it)

**Nuova Distribution USA**  
6940 Salashan PKWY BLDG A  
Ferndale, WA 98248  
tel. +1.360.3662226  
fax +1.360.3664015  
videoconf. +1.360.3188595

[www.nuovadistribution.com](http://www.nuovadistribution.com)  
[info@nuovadistribution.com](mailto:info@nuovadistribution.com)

